Landis+Gyr AIP200 Optical Probe



the answer to all your probing ques<mark>tions</mark>



Landis+Gyr Optical Probe

The AIP200 Optical Probe has revolutionized field metering practices around the world. This 2-*in*-1 unit is compatible with either ANSI C12.18 or IEC 1107 optical ports and communicates via a USB port to most handheld, laptop and desktop computers. So, there's no longer a need to carry a number of probes — the AIP200 can do it all.

Features Include:

- Two probes in one
- Compatible with ANSI C12.18 & IEC 1107 optical ports
- USB interface provides better compatibility with newer PCs
- No batteries required powered via USB connection
- Reads *every* Landis+Gyr meter platform currently available

Superior Meter Compatibility

The AIP200 reads every Landis+Gyr meter currently available. Furthermore, for utilities that employ a variety of meter platforms, the AIP200 is compatible with all C12.18 and IEC 1107 supported meters, reducing a utility's dependence on meter or vendor specific probe designs. And, with a data rate of 38,400 bits per second, the AIP200 is designed to meet the needs of meter communications as technology evolves.

Simple Installation & Operation

Just install and configure following simple Wizard instructions included in the probe's accompanying software. Labels at the top of the probe indicate operating orientation, while strong magnets in the AIP200 headshell improve handling during meter reading and programming operations. Power to the AIP200 is supplied by the computer's host port, eliminating the need for battery packs or batteries.

Exceptional Quality and Durability

The AIP200's sturdy design and its compact, lightweight structure embody the quality consumers have come to associate with the Landis+Gyr brand. The AIP200 is a solid investment.



... beyond Measure

Landis+Gyr

2800 Duncan Road Lafayette, IN 47904 Phone: 765.742.1001 Fax: 765.742.0936 www.landisgyr.us